

# VIPER.>

# Now Available with a DOT Trailer!







## Run A 90 Lb. Jackhammer At A Fraction Of The Cost!

With the Vanair<sup>®</sup> Viper diesel you get all the air power you need to get the job done at half the cost of tow behinds or cross mounts. Engineered with smart technology to provide automatic variable speed control for fuel savings, the Viper is perfect for running 90 Lb. jackhammers, operating up to 4" piercing tools and blowing out irrigation systems. Designed with a simple push start control panel, the Viper is compact enough to fit into even the smallest pickup truck bed.

#### **SPECIFICATIONS**

Model	Capacity (CFM)	Air (PSI)	Engine (RPM)	Engine (HP)	Fuel Capacity
D60	60	150	3600	24.8	9 Gallon
D70	70	125 (100 PSI at altitudes of 3500+ Ft.)	3600	24.8	9 Gallon
D80	80 (48 CFM at Idle)	100	3600	24.8	9 Gallon

Dimensions with fittings (In.): 48L x 21W x 33H | Dry Weight (Lbs.): 735



Vanair's There

Product improvement is a continuing goal. Design and specifications are subject to change without notice or obligation. VIPERD\_ 09072017

### 800.526.8817 | vanair.com 🗃 f in 오



#### FEATURES

- Automatic Variable Speed Control Reduces Fuel Consumption
- 60 AMP Alternator
- Integrated Battery
- Cooling Baffle Ensures Proper Ventilation, Protects Machine from Debris and Reduces Noise
- Extra DC Power for Air After Cooler Use
- Sized to Fit Behind the Cab or Side Pack

#### AIR COMPRESSOR

- Lifetime Warranty on Air End
- Direct Drive No Belts
- Oil Injected Rotary Screw Encapsulated Air End

#### ENGINE

- Auto Shut Off and Start
- Kubota® Tier 4 Certified
- Diesel
- Liquid Cooled
- 3 Cylinder
- 24.8 HP
- 9 Gallon Fuel Tank
- Glow Plugs

#### INSTRUMENTATION

- Conveniently Located Electronic Easy-To-Start Instrumentation Panel
- Features an Hour Meter, Pressure and Temperature Readout, Fuel Gauge and Engine RPM

#### CANOPY

Powder-Coated, Galvannealed Sheet Metal Enclosure

#### • Lifting Bail

#### MAINTENANCE

- Easy Service Access Removable Front Panel and Hinged Top for Serviceability
- Spin-On Air-To-Oil Seperating Element for Easy Maintenance

#### SAFETY EQUIPMENT

- High-Temperature Shutdown Compressor and Engine
- Low Engine Oil Pressure Shutdown
- Air Pressure-Relief Safety Valve
- Minimum Pressure Valve
- Automatic Blowdown On Shutdown
- Oil Fill Plug Safety Relief
- High Pressure Shutdown for Compressor

#### **OPTIONS/ACCESSORIES**

- Service/Control Line Moisture Separators
- Filter/Lubricator/Regulator (FLR)
- Air Hoses, Hose Reels, and Fittings
- OSHA Safety Valve (Velocity Fuse)
- Tool Oiler/Lubricator
- Cold Weather Package to Prevent Freeze-Ups
- Remote Instrument Panel
- Air After Cooler
- Remote Fuel Tank Option
- Maintenance Kits

800.526.8817 | vanair.com 🕲 f 🖻 🞔