



Start and Charge Vehicles in Rapid Succession, Plus Get the Air Power You Need!

Batteries fail, but work doesn't have to stop. Utilizing revolutionary new Vanair Fast Start and Super Capacitor (VSC) technology, Vanair's FST™ 3000+Air provides you with instantaneous starting power for all your heavy duty machinery, company fleets and off road vehicles, keeping you up and running. No more waiting for your batteries to charge - getting you back to work in mere seconds. The FST™ 3000+Air is the fastest vehicle starting system on the market, offering:

- 3000+ AMPS of Instantaneous Starting Power
- 12V and 12V/24V Charging and Starting Capabilities
- 24 CFM and Up to 175 PSI of Air Power for All Your Pneumatic Tool Needs
- 240 AMP 3-Stage Alternator for Fast Recharging
- Innovative Vanair Super Capacitor (VSC™)

SPECIFICATIONS

| 12V & 12V/24V Starting | Up to 3240 AMP Starting Capability |
|------------------------|---|
| Fuel Capacity | Plumb to Chassis or Remote 11 Gal. Tank |
| Fuel Type | Gasoline |
| Engine Type | 19 HP EFI Kohler® |
| Drive System | Dual V and Micro V Serpentine |
| Battery | Tie to Chassis |
| Compressor Type | Reciprocating |
| CFM Rating | 24 CFM |
| Air Pressure | 175 PSI Max. Pressure |
| DC Alternator | 240 AMP 12V/24V DC |

Dimensions with fittings (In.):

45.0L X 21.0W X 27H | Dry Weight (Lbs.): 575 (cables not included in weight)

Product improvement is a continuing goal. Design and specifications are subject to change without notice or obligation. FST3000+Air_12132017







PERFORMANCE

- Vanair Super Capacitor (VSC™)
- · 3000 + AMPS Starting Capability
- 12V & 24V Charge & Start
- 240 AMP 3-Stage Alternator
- · 2-Stage Reciprocating Air Compressor
- Up to 24 CFM and 175 PSI
- Head Unloader Valves
- Electronic Fuel Injected EFI Kohler® Command PRO 19 Engine
- · Automatic Electronic Throttle Control
- · Heavy-Duty Belt Drive System

STARTING CABLES

- 30 Feet of 3/0 Polar-Grade Cable
- UL/AWG Specification Compliant
- Fine Stranded, Flexible Copper
- · Cold Weather Flexibility
- Tangle Resistant
- · Chemical, Abrasion and Water Resistant
- Extruded Polarity Stripe for Safety Identification

CONTROL PANEL

- · Engine Start/Stop Function
- · Hour Meter
- Voltage Output Display
- · Charge/Start Mode Selector
- · Mode Indicator Lights
- · System Fault Lights

CONVENIENCE


- · Remote Control Panel
- · Integrated Lift Hook
- · Virtually Maintenance-Free
- · Tough, Powder Coated Sheet Metal
- Corrosion-Resistant Galvanneal Steel Canopy
- Terminal Lugs at Machine to Run to Multiple Starting Locations
- · Gasoline Fuel

SAFETY

- · Weather-Protected Electrical Enclosure
- · Reverse Polarity Protection
- Open, Closed or Low Circuit Safety
- Low Engine Oil Pressure Shut Down
- · Engine Over Temperature Shut Down
- Smart, Self-Regulating 3-Stage Charging System

OPTIONAL ACCESSORIES

- Remote Panel Connection Harness in Multiple Lengths
- Industrial 3/O Starting Cables (25, 30 & 35 ft. Lengths)
- · Bumper/Remote-Mount Start Receptacles
- Vibration Isolators
- · Remote Air Tanks
- · Remote Fuel Tank
- Remote Battery Box & Battery Kits
- · Cable Kits for Connection to Chassis Battery
- · Maintenance Kit
- · Cold Weather Kits
- California CARB Compliance Kits





Compressed Air Systems. con